



Printing date 12.12.2022 Revision: 12.12.2022

1 Identification

- · Product identifier
- · Trade name: CONCRETOBOND 3001
- · Article number: CWPWAB-00002
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Treasure Island Industrial Corp. No.2, 3rd Ave. S. Osmena Blvd. North Reclamation Area Cebu City 6000 PHILIPPINES doo@treasureisland.com.ph

- · Further information obtainable from: Product safety department
- Emergency telephone number: During normal opening times: +63 32 232 05 13

2 Hazard identification

· Classification of the substance or mixture

Aquatic Acute 3 H402 Harmful to aquatic life. CWPWAB-00002

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition / information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

Dangerous comp	onents:	(Contd. of pa
CAS: 8042-47-5		
C115. 00 12 17 5	Xi R36	
	Eye Irritation 2B, H320	
CAS: 7664-41-7	Ammonia	
	№ T R23	
	□ C R34	
	№ N R50	
	$\overline{RI}0$	
	♦ Press. Gas C, H280	
	<i>♦ Acute Tox. 3, H331</i>	
	Skin Corr. 1B, H314	
	Aquatic Acute 1, H400	
	Acute Tox. 4, H302	
	Flam. Gas 2, H221	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-	
	500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
	T R23/24/25	
	C R34	
	Xi R43	
	N R50/53 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330	
	Skin Corr. 1C, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: C≥0.6%	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

РΗ





Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7664-41-7 Ammonia

PEL (USA) Long-term value: 35 mg/m³, 50 ppm REL (USA) Short-term value: 27 mg/m³, 35 ppm

Long-term value: 18 mg/m³, 25 ppm

TLV (USA) Short-term value: 35 ppm Long-term value: 25 ppm

(Contd. on page 4)





Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

Information on basic physical and chem General Information	ical properties	
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	· 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.03 g/cm³	
Relative density	Not determined.	

(Contd. on page 5)



Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

		(Contd. of page
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	44.7 %	
VOC (EC)	0.00 %	
Solids content:	54.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 7664-41-7 Ammonia

		350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)





Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number ADR, IMDG, IATA	Not applicable Void	
UN proper shipping name ADR, IMDG, IATA	Not applicable Void	
Transport hazard class(es)	Not applicable	
ADR, ADN, IMDG, IATA Class	Void	
Packing group ADR, IMDG, IATA	Not applicable Void	
Environmental hazards:	Not applicable.	
Transport in bulk according to Annex and the IBC Code	II of Marpol Not applicable.	
UN "Model Regulation":	Void	

PH

(Contd. on page 7)



Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

(Contd. of page 6)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Philippines Inventory of Chemicals and Chemical Substances		
CAS: 57516-68-4	STYRENE ACRYLATE COPOLYMER	
	water, distilled, conductivity or of similar purity	
CAS: 8042-47-5	White mineral oil, petroleum	
CAS: 7664-41-7	Ammonia	
CAS: 3586-55-8	(Ethylendioxy)dimethanol	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

•	Rei	levan	t nh	rases
	ne	evun	ı vn	า นงยง

H221	Flammable gas
H221	Flammable gas

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H320 Causes eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R10 Flammable.

R23 Toxic by inhalation.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R36 Irritating to eyes.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Ong
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)





Printing date 12.12.2022 Revision: 12.12.2022

Trade name: CONCRETOBOND 3001

(Contd. of page 7)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

 $Flam.\ Gas\ 2: Flammable\ gases-Category\ 2$

Press. Gas C: Gases under pressure – Compressed gas

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Čategory 1

Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

PH