

PH

Safety Data Sheet according to GHS

Revision: 20.05.2022

Printing date 19.12.2022 **1** Identification · Product identifier · Trade name: ISLAND 007 ACRYLIC FLO · Article number: I-1661 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Treasure Island Industrial Corp. No.2, 3rd Ave. S. Osmena Blvd. North Reclamation Area Cebu City 6000 PHILIPPINES doo@treasureisland.com.ph · Further information obtainable from: Product safety department • Emergency telephone number: During normal opening times: +63 32 232 05 13 **2 Hazard identification** · Classification of the substance or mixture flame Flam. Liq. 3 H226 Flammable liquid and vapour. health hazard Repr. 1B H360 May damage fertility or the unborn child. Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Acute Tox. 5 H303 May be harmful if swallowed. Acute Tox. 5 H313 May be harmful in contact with skin. I-1661 · Classification according to Directive 67/548/EEC or Directive 1999/45/EC T; Toxic R60-61: May impair fertility. May cause harm to the unborn child. Xn; Harmful R20/21/22: Harmful by inhalation, in contact with skin and if swallowed. (Contd. on page 2)



Printing date 19.12.2022

Revision: 20.05.2022

Trade name: ISLAND 007 ACRYLIC FLO

(Contd. of page 1) Xi; Irritant R38: Irritating to skin. *R10*: Flammable. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Code letter and hazard designation of product: T Toxic • Hazard-determining components of labelling: Cellusolve Acetate Dimethylbenzene · Risk phrases: 60 May impair fertility. 61 May cause harm to the unborn child. 10 Flammable. 20/21/22 Also harmful by inhalation, in contact with skin and if swallowed. 38 Irritating to skin. · Safety phrases: Avoid exposure - obtain special instructions before use. 53 1/2 Keep locked up and out of the reach of children. 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. *36/37/39 Wear suitable protective clothing, gloves and eye/face protection.* In case of accident or if you feel unwell, seek medical advice immediately (show the label where 45 possible). · Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition / information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

⁻ PH



Printing date 19.12.2022

Revision: 20.05.2022

Trade name: ISLAND 007 ACRYLIC FLO

(Contd. of page 2) · Dangerous components: CAS: 111-15-9 Cellusolve Acetate 😡 T Repr. Cat. 2 R60-61 Xn R20/21/22 R10 🚸 Flam. Liq. 3, H226 🚯 Repr. 1B, H360 🚯 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 CAS: 1330-20-7 Dimethylbenzene 🗙 Xn R20/21 🗙 Xi R38 $\overline{R10}$ 🛞 Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315 Acute Tox. 5, H303 · SVHC CAS: 111-15-9 Cellusolve Acetate

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)



Page 4/10

Revision: 20.05.2022

(Contd. of page 3)

Trade name: ISLAND 007 ACRYLIC FLO

· Advice for firefighters

Printing date 19.12.2022

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents*

Do not flush with water or aqueous cleansing

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)



Printing date 19.12.2022

Treasure Island

Revision: 20.05.2022

Trade name: ISLAND 007 ACRYLIC FLO

	(Contd. of page
Control par	ameters
Ingredients	with limit values that require monitoring at the workplace:
CAS: 111-1	5-9 Cellusolve Acetate
PEL (USA)	Long-term value: 540 mg/m³, 100 ppm
	Skin
REL (USA)	Long-term value: 2.7 mg/m ³ , 0.5 ppm Skin
TLV (USA)	Long-term value: 5 ppm Skin; BEI
CAS: 1330-	20-7 Dimethylbenzene
PEL (USA)	Long-term value: 435 mg/m ³ , 100 ppm
	Short-term value: 655 mg/m ³ , 150 ppm
	Long-term value: 435 mg/m ³ , 100 ppm
	Short-term value: (150) ppm
. ()	Long-term value: (100) NIC-20 ppm
	BEI, A4
Ingredients	with biological limit values:
CAS: 111-1	5-9 Cellusolve Acetate
BEI (USA)	100 mg/g creatinine
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: 2-Ethoxyacetic acid
CAS: 1330-	20-7 Dimethylbenzene
BEI (USA)	1.5 g/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Methylhippuric acids
Additional i	nformation: The lists valid during the making were used as basis.
Exposure co	
	otective equipment:
	tective equipment: tective and hygienic measures:
	from foodstuffs, beverages and feed.
	p remove all soiled and contaminated clothing
	before breaks and at the end of work.
	tive clothing separately.
	ct with the skin.
	ct with the eyes and skin.
Respiratory	
	rief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	ed respiratory protective device.



Protective gloves

(Contd. on page 6)

PH



Printing date 19.12.2022

Revision: 20.05.2022

Trade name: ISLAND 007 ACRYLIC FLO

(Contd. of page 5)

PН

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and chem	ical properties
General Information Appearance:	
Appeurance. Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	· 137-143 °C
Flash point:	23 - 60 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	380 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	12.7 Vol %
Vapour pressure at 20 °C:	6.7 hPa
Density at 20 °C:	0.93 g/cm ³



Printing date 19.12.2022

Revision: 20.05.2022

Trade name: ISLAND 007 ACRYLIC FLO

	(Contd. of page
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
VÕC (EC)	100.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity
- · LD/LC50 values relevant for classification:

CAS: 111-15-9 Cellusolve Acetate

Oral LD50 ≤3,900 mg/kg (rat)

Dermal LD50 10,300 mg/kg (rabbit)

CAS: 1330-20-7 Dimethylbenzene

Oral LD50 4,300 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rabbit)

· Primary irritant effect:

· Skin corrosion/irritation Irritant to skin and mucous membranes.

· Serious eye damage/irritation No irritating effect.

· Respiratory or skin sensitisation No sensitising effects known.

(Contd. on page 8)

⁻ PH

Printing date 19.12.2022

• Additional toxicological information:

Trade name: ISLAND 007 ACRYLIC FLO

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful Irritant

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

· UN-Number · ADR, IMDG, IATA	UN1993
· UN proper shipping name	
$\cdot ADR$	1993 FLAMMABLE LIQUID, N.O.S. (XYLENES
	ETHYLENE GLYCOL MONOETHYL ETHER ACETATE)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (XYLENES, ETHYLENI
	GLYCOL MONOETHYL ETHER ACETATE)



(Contd. of page 7)

Revision: 20.05.2022



Printing date 19.12.2022

Revision: 20.05.2022

Trade name:	ISLAND	007 ACRYL	IC FLO
-------------	--------	-----------	--------

	(Contd. of page
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
	•
Packing group ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
•	
Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids. 30
EMS Number:	<i>F-E,S-E</i>
Transport in bulk according to Annex II of Mar and the IBC Code	pol Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
—	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (XYLENES ETHYLENE GLYCOL MONOETHYL ETHER ACETATE)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

(Contd. on page 10)

PH



Printing date 19.12.2022

Treasure Island INDUSTRIAL CORPORATION

Revision: 20.05.2022

Trade name: ISLAND 007 ACRYLIC FLO

(Contd. of page 9)

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

• Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 111-15-9 Cellusolve Acetate

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

• Kelevani	t phrases
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H360	
<i>H300</i>	May damage fertility or the unborn child.
R10	Flammable.
R20/21	Harmful by inhalation and in contact with skin.
	22 Harmful by inhalation, in contact with skin and if swallowed.
R38	Irritating to skin.
R60	May impair fertility.
R61	May impair fertility. May cause harm to the unborn child.
KOI	May cause narm to the unborn child.
• Departm	nent issuing SDS: Product safety department
· Contact:	Mr. Ong
• Abbrevia	ations and acronyms:
	ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
	nal Transport of Dangerous Goods by Rail)
	R: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
	ernational Civil Aviation Organisation
	Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
	of Dangerous Goods by Road)
	ernational Maritime Code for Dangerous Goods
IATA: Inte	rnational Air Transport Association
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	nical Abstracts Service (division of the American Chemical Society)
	ttile Organic Compounds (USA, EU)
	hal concentration, 50 percent hal dose, 50 percent
	istent, Bioaccumulative and Toxic
	bstances of Very High Concern
	Persistent and very Bioaccumulative
	3: Flammable liquids – Category 3
	4: Acute toxicity – Category 4
	5: Acute toxicity – Category 5
	2: Skin corrosion/irritation – Category 2 Poweductive toxicity – Category 1P
	Reproductive toxicity – Category 1B
· · · Data C	ompared to the previous version altered.