

Printing date 19.12.2022 Revision: 03.08.2022

1 Identification

- · Product identifier
- · Trade name: ISLAND EN GLOSS 800GE WHITE
- · Article number: CWPALB-00015
- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Treasure Island Industrial Corp. No.2, 3rd Ave. S. Osmena Blvd. North Reclamation Area

Cebu City 6000

PHILIPPINES

doo@treasureisland.com.ph

- · Further information obtainable from: Product safety department
- Emergency telephone number: During normal opening times: +63 32 232 05 13

2 Hazard identification

· Classification of the substance or mixture



flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



health hazard

Muta. 1B	H340	May cause genetic defects.
Carc. 1B	H350	May cause cancer.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.



Skin Irrit. 2	H313	Causes skin irritation.
STOT SE 3	Н335-Н3	36 May cause respiratory irritation. May cause drowsiness or dizziness.
Acute Tox. 5	H333	May be harmful if inhaled.
Aquatic Acute 3	H402	Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. CWPALB-00015

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45-46: May cause cancer. May cause heritable genetic damage.

(Contd. on page 2)



Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 1)



Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.



Xi; Irritant

R38: Irritating to skin.

R10-52/53: Flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Code letter and hazard designation of product:



T Toxic

· Hazard-determining components of labelling:

Kerosene

Naphtha (petroleum), hydrodesulfurized heavy

· Risk phrases:

- 45 May cause cancer.
- 46 May cause heritable genetic damage.
- 10 Flammable.
- 38 Irritating to skin.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.

· Safety phrases:

- 53 Avoid exposure obtain special instructions before use.
- 1/2 Keep locked up and out of the reach of children.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

PH





Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 2)

Description: Mixi Dangerous comp	·
CAS: 8008-20-6	Kerosene Xn R65 Xi R38 N R51/53 R10 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H335-H336 Aquatic Acute 2, H401
CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] Solution Carc. 2, H351 Acute Tox. 5, H333
CAS: 64742-81-0	Kerosine (petroleum), hydrodesulfurized Xn R65 ♦ Asp. Tox. 1, H304
CAS: 22464-99-9	Zirconium Octoate Xn R20/22 Xi R36/38 Flam. Liq. 3, H226 Acute Tox. 3, H301 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irritation 2A, H319
CAS: 64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy ☐ T Carc. Cat. 2, Muta. Cat. 2 R45-46 ☐ Xn R48/20-65 ☐ Flam. Liq. 3, H226 ☐ Muta. 1B, H340; Carc. 1B, H350; STOT RE 1, H372; Asp. Tox. 1, H304 ☐ Aquatic Chronic 2, H411 ☐ STOT SE 3, H336
CAS: 136-52-7	cobalt bis(2-ethylhexanoate) Xn R22 Acute Tox. 3, H301

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 4)



Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 3)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

(Contd. on page 5)





Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 4)

- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace	:
CAS: 8008-20-6 Kerosene	

REL (USA) Long-term value: 100 mg/m³

Kerosine only

TLV (USA) Long-term value: 200 mg/m³

as total hydrocarbon vapor; Skin; A3

CAS: 64742-81-0 Kerosine (petroleum), hydrodesulfurized

REL (USA) Long-term value: 100 mg/m³

Kerosene only

TLV (USA) Long-term value: 200 mg/m³

as total hydrocarbon vapor; Skin; A3

CAS: 136-52-7 cobalt bis(2-ethylhexanoate)

TLV (USA) Long-term value: 0.02* mg/m³

as Co, A3; *inhalable; DSEN; RSEN; BEI

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)





Revision: 03.08.2022 Printing date 19.12.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 5)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

91 hysicai ana	chemical properties
· Information on	basic physical and chem

nical properties

General Information

· Appearance:

Form: Fluid

Colour: According to product specification

Odour: Characteristic Not determined. · Odour threshold:

Not determined. · pH-value:

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 100 °C

23 - 60 °C · Flash point:

· Flammability (solid, gas): *Not applicable.*

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour

Not determined.

mixtures are possible.

· Explosion limits:

· Evaporation rate

Lower: Not determined. Upper: Not determined.

Not determined. · Vapour pressure:

1.11 g/cm³ · Density at 20 °C: · Relative density Not determined. · Vapour density Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix. water:

(Contd. on page 7)



Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

	(Con	itd. of page 6
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	24.3 %	
Water:	23.6 %	
VOC (EC)	24.28 %	
Solids content:	48.9 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values relevant for classification:		
CAS: 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic		
diameter ≤ 10 μm]		
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

Inhalative |LC50/4|h| > 6.82 mg/l (rat)

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Carcinogenic.

The product can cause inheritable damage.





Revision: 03.08.2022 Printing date 19.12.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · **Persistence and degradability** No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

3

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · ADR, IMDG, IATA UN1263
- · UN proper shipping name
- 1263 PAINT
- · IMDG, IATA **PAINT**
- · Transport hazard class(es)
- · ADR, IMDG, IATA



· Class 3 Flammable liquids.

Label

(Contd. on page 9)





Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

	(Contd. of pa
Packing group	
ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	F-E, <u>S-E</u>
Transport in bulk according to Annex II of Marp	pol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Philippines Inventory of Chemicals and Chemical Substances	
CAS: 63148-69-6	ALKYD RESIN
CAS: 8008-20-6	Kerosene
CAS: 7732-18-5	water, distilled, conductivity or of similar purity
CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m]
CAS: 64742-81-0	Kerosine (petroleum), hydrodesulfurized
CAS: 112926-00-8	Precipitated silica (Silica-Amorphous)
CAS: 21645-51-2	aluminium hydroxide
CAS: 1317-65-3	Calcium Carbonate
CAS: 1318-93-0	Montmorillonite
CAS: 7487-88-9	magnesium sulphate
CAS: 22464-99-9	Zirconium Octoate
CAS: 64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy
CAS: 136-52-7	cobalt bis(2-ethylhexanoate)

(Contd. on page 10)



Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 9

	(Conta. of page 7)
CAS: 111-76-2	Normal Butyl Cellusolve
CAS: 14808-60-7	Silicon Dioxide

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H333 May be harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H401 Toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R20/22 Harmful by inhalation and if swallowed.
- R22 Harmful if swallowed.
- R36/38 Irritating to eyes and skin.
- R38 Irritating to skin.
- R45 May cause cancer.
- *R46 May cause heritable genetic damage.*
- R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- *R65* Harmful: may cause lung damage if swallowed.
- · Department issuing SDS: Product safety department
- · Contact: Mr. Ong

(Contd. on page 11)





Printing date 19.12.2022 Revision: 03.08.2022

Trade name: ISLAND EN GLOSS 800GE WHITE

(Contd. of page 10)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 5: Acute toxicity – Category 5

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity - Category 1B

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

РΗ