

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

1 Identification

- **Product identifier**
- **Trade name:** ISLAND FLEXIGEL
- **Article number:** CWPWAB-00389
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Treasure Island Industrial Corp.
No.2, 3rd Ave. S. Osmena Blvd.
North Reclamation Area
Cebu City 6000
PHILIPPINES
doo@treasureisland.com.ph
- **Further information obtainable from:** Product safety department
- **Emergency telephone number:** During normal opening times: +63 32 232 05 13

2 Hazard identification

- **Classification of the substance or mixture**



Skin Sens. 1 H317 May cause an allergic skin reaction.
Acute Tox. 5 H303 May be harmful if swallowed.
Acute Tox. 5 H333 May be harmful if inhaled.
Aquatic Acute 2 H401 Toxic to aquatic life.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
CWPWAB-00389

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Sensitising

R43: May cause sensitisation by skin contact.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 2)

PH

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 1)

Code letter and hazard designation of product:

Xi Irritant
Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Risk phrases:

43 May cause sensitisation by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

2 Keep out of the reach of children.

24 Avoid contact with skin.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

37 Wear suitable gloves.

46 If swallowed, seek medical advice immediately and show this container or label.

Other hazards
Results of PBT and vPvB assessment

 · **PBT:** Not applicable.



 · **vPvB:** Not applicable.

* 3 Composition / information on ingredients

Chemical characterisation: Mixtures

 · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	
	 Carc. 2, H351  Acute Tox. 5, H333	
CAS: 471-34-1	Calcium Carbonate	

(Contd. on page 3)

PH





























Safety Data Sheet

according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

		(Contd. of page 2)
CAS: 111-46-6	Diethylene Glycol  Xn R22  Acute Tox. 4, H302	
CAS: 7664-41-7	Ammonia  T R23  C R34  N R50 R10  Press. Gas C, H280  Acute Tox. 3, H331  Skin Corr. 1B, H314  Aquatic Acute 1, H400  Acute Tox. 4, H302 Flam. Gas 2, H221	
CAS: 9004-62-0	2-hydroxyethyl cellulose  T Repr. Cat. 1 R60-61  Xn R20/21/22  Xn R42/43  Xi R36  Resp. Sens. 1, H334; Repr. 1A, H360; Asp. Tox. 2, H305  Skin Sens. 1, H317 Acute Tox. 5, H303; Acute Tox. 5, H313; Acute Tox. 5, H333; Eye Irritation 2B, H320	
CAS: 60864-33-7	poly(oxy-1,2-ethanediyl), alpha-(phenylmethyl)-omega-(1,1,3,3-tetramethylbutyl)phenoxy-  T R25  C R34  Xn R21/22  Xi R36/37  Acute Tox. 2, H300; Acute Tox. 3, H311  Skin Corr. 1B, H314; Eye Dam. 1, H318  STOT SE 3, H335	
CAS: 330-54-1	diuron(ISO)  Xn R22-40-48/22  N R50/53 Carc. Cat. 3  Carc. 2, H351; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302	

(Contd. on page 4)

PH

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 3)

CAS: 10605-21-7	carbendazim (ISO) T Muta. Cat. 2, Repr. Cat. 2 R46-60-61 N R50/53 Muta. 1B, H340; Repr. 1B, H360 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317	
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one T R23/24 C R34 Xn R22 Xi R43 N R50/53 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1A, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: $C \geq 0.0015 \%$	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) T R23/24/25 C R34 Xi R43 N R50/53 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: $C \geq 0.6 \%$ Skin Irrit. 2; H315: $0.06 \% \leq C < 0.6 \%$ Eye Dam. 1; H318: $C \geq 0.6 \%$ Eye Irrit. 2; H319: $0.06 \% \leq C < 0.6 \%$ Skin Sens. 1A; H317: $C \geq 0.0015 \%$	

 · **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

 · **Description of first aid measures**

 · **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

 · **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

 · **After eye contact:** Rinse opened eye for several minutes under running water.

 · **After swallowing:** If symptoms persist consult doctor.

 · **Information for doctor:**

 · **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 5)

PH

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. of page 4)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls / personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 6)

Safety Data Sheet

according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 5)

· Control parameters
· Ingredients with limit values that require monitoring at the workplace:
CAS: 471-34-1 Calcium Carbonate

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
-----------	---

REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
-----------	---

TLV (USA)	TLV withdrawn
-----------	---------------

CAS: 111-46-6 Diethylene Glycol

WEEL (USA)	Long-term value: 10 mg/m ³
------------	---------------------------------------

CAS: 7664-41-7 Ammonia

PEL (USA)	Long-term value: 35 mg/m ³ , 50 ppm
-----------	--

REL (USA)	Short-term value: 27 mg/m ³ , 35 ppm Long-term value: 18 mg/m ³ , 25 ppm
-----------	---

TLV (USA)	Short-term value: 35 ppm Long-term value: 25 ppm
-----------	---

CAS: 330-54-1 diuron(ISO)

REL (USA)	Long-term value: 10 mg/m ³
-----------	---------------------------------------

TLV (USA)	Long-term value: 10 mg/m ³ A4
-----------	---

· **Additional information:** The lists valid during the making were used as basis.

· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 6)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

9 Physical and chemical properties

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

· Form:	Fluid
· Colour:	According to product specification

· Odour:	Characteristic
-----------------	----------------

· Odour threshold:	Not determined.
---------------------------	-----------------

· pH-value:	Not determined.
--------------------	-----------------

 · **Change in condition**

· Melting point/freezing point:	Undetermined.
--	---------------

· Initial boiling point and boiling range:	100 °C
---	--------

· Flash point:	Not applicable.
-----------------------	-----------------

· Flammability (solid, gas):	Not applicable.
-------------------------------------	-----------------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Auto-ignition temperature:	Product is not selfigniting.
-------------------------------------	------------------------------

· Explosive properties:	Product does not present an explosion hazard.
--------------------------------	---

 · **Explosion limits:**

· Lower:	Not determined.
-----------------	-----------------

· Upper:	Not determined.
-----------------	-----------------

· Vapour pressure at 20 °C:	23 hPa
------------------------------------	--------

· Density at 20 °C:	1.3 g/cm ³
----------------------------	-----------------------

· Relative density	Not determined.
---------------------------	-----------------

· Vapour density	Not determined.
-------------------------	-----------------

· Evaporation rate	Not determined.
---------------------------	-----------------

 · **Solubility in / Miscibility with water:**

Fully miscible.

· Partition coefficient: n-octanol/water:	Not determined.
--	-----------------

 · **Viscosity:**

· Dynamic:	Not determined.
-------------------	-----------------

· Kinematic:	Not determined.
---------------------	-----------------

 · **Solvent content:**

· Organic solvents:	1.3 %
----------------------------	-------

· Water:	44.4 %
-----------------	--------

· VOC (EC)	1.26 %
-------------------	--------

(Contd. on page 8)

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 7)

Solids content:	52.4 %
------------------------	--------

Other information	No further relevant information available.
--------------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

CAS: 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

CAS: 471-34-1 Calcium Carbonate

Oral	LD50	6,450 mg/kg (rat)
------	------	-------------------

CAS: 111-46-6 Diethylene Glycol

Oral	LD50	12,565 mg/kg (rat)
Dermal	LD50	11,890 mg/kg (rabbit)

CAS: 7664-41-7 Ammonia

Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

Oral	LD50	125 mg/kg (ATE)
Dermal	LD50	311 mg/kg (ATE)
Inhalative	LC50/4 h	0.27 mg/l (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 9)

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

Irritant

(Contd. of page 8)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
*Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Harmful to aquatic organisms*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

* 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- | | |
|--|-------------|
| <ul style="list-style-type: none"> · UN-Number · ADR, IMDG, IATA | <i>Void</i> |
| <ul style="list-style-type: none"> · UN proper shipping name · ADR, IMDG, IATA | <i>Void</i> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | <i>Void</i> |
| <ul style="list-style-type: none"> · Packing group · ADR, IMDG, IATA | <i>Void</i> |

(Contd. on page 10)

Safety Data Sheet

according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 9)

- | | |
|---|-----------------|
| · Environmental hazards: | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Philippines Inventory of Chemicals and Chemical Substances	
CAS: 7732-18-5	water, distilled, conductivity or of similar purity
CAS: 57516-68-4	STYRENE ACRYLATE COPOLYMER
CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]
CAS: 14807-96-6	Hydrated Magnesium Silicate
CAS: 471-34-1	Calcium Carbonate
	Barium Sulphate
CAS: 25265-77-4	Texanol
CAS: 111-46-6	Diethylene Glycol
CAS: 21645-51-2	aluminium hydroxide
CAS: 61790-53-2	Diatomaceous earth (Silica-Amorphous)
CAS: 8042-47-5	White mineral oil, petroleum
CAS: 7664-41-7	Ammonia
CAS: 9004-62-0	2-hydroxyethyl cellulose
CAS: 60864-33-7	poly(oxy-1,2-ethanediyl), alpha-(phenylmethyl)-omega-(1,1,3,3-tetramethylbutyl)phenoxy-
CAS: 330-54-1	diuron(ISO)
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol
CAS: 10605-21-7	carbendazim (ISO)
CAS: 9036-19-5	Polyethylene glycol octylphenyl ether
CAS: 3586-55-8	(Ethylendioxy)dimethanol
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one
	Polyethylene Glycol
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

PH

(Contd. on page 11)

Safety Data Sheet
according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H221 *Flammable gas.*
- H280 *Contains gas under pressure; may explode if heated.*
- H300 *Fatal if swallowed.*
- H301 *Toxic if swallowed.*
- H302 *Harmful if swallowed.*
- H303 *May be harmful if swallowed.*
- H305 *May be harmful if swallowed and enters airways.*
- H310 *Fatal in contact with skin.*
- H311 *Toxic in contact with skin.*
- H313 *May be harmful in contact with skin.*
- H314 *Causes severe skin burns and eye damage.*
- H317 *May cause an allergic skin reaction.*
- H318 *Causes serious eye damage.*
- H320 *Causes eye irritation.*
- H330 *Fatal if inhaled.*
- H331 *Toxic if inhaled.*
- H333 *May be harmful if inhaled.*
- H334 *May cause allergy or asthma symptoms or breathing difficulties if inhaled.*
- H335 *May cause respiratory irritation.*
- H340 *May cause genetic defects.*
- H351 *Suspected of causing cancer.*
- H360 *May damage fertility or the unborn child.*
- H373 *May cause damage to organs through prolonged or repeated exposure.*
- H400 *Very toxic to aquatic life.*
- H410 *Very toxic to aquatic life with long lasting effects.*
- R10 *Flammable.*
- R20/21/22 *Harmful by inhalation, in contact with skin and if swallowed.*
- R21/22 *Harmful in contact with skin and if swallowed.*
- R22 *Harmful if swallowed.*
- R23 *Toxic by inhalation.*
- R23/24 *Toxic by inhalation and in contact with skin.*
- R23/24/25 *Toxic by inhalation, in contact with skin and if swallowed.*
- R25 *Toxic if swallowed.*
- R34 *Causes burns.*
- R36 *Irritating to eyes.*
- R36/37 *Irritating to eyes and respiratory system.*
- R40 *Limited evidence of a carcinogenic effect.*
- R42/43 *May cause sensitisation by inhalation and skin contact.*
- R43 *May cause sensitisation by skin contact.*
- R46 *May cause heritable genetic damage.*
- R48/22 *Harmful: danger of serious damage to health by prolonged exposure if swallowed.*
- R50 *Very toxic to aquatic organisms.*
- R50/53 *Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*
- R60 *May impair fertility.*

(Contd. on page 12)

Safety Data Sheet according to GHS

Printing date 19.12.2022

Revision: 19.12.2022

Trade name: ISLAND FLEXIGEL

(Contd. of page 11)

R61 *May cause harm to the unborn child.*

· **Department issuing SDS:** Product safety department

· **Contact:** Mr. Ong

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 2: Flammable gases – Category 2

Press. Gas C: Gases under pressure – Compressed gas

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 5: Acute toxicity – Category 5

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 2: Carcinogenicity – Category 2

Repr. 1A: Reproductive toxicity – Category 1A

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 2: Aspiration hazard – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

PH