

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

1 Identification

- **Product identifier**
- **Trade name:** PRIMA 200AE ACRYLIC EMULSION CLEAR
- **Article number:** CWPWAB-04366
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Treasure Island Industrial Corp.
No.2, 3rd Ave. S. Osmena Blvd.
North Reclamation Area
Cebu City 6000
PHILIPPINES
doo@treasureisland.com.ph
- **Further information obtainable from:** Product safety department
- **Emergency telephone number:** During normal opening times: +63 32 232 05 13

2 Hazard identification

- **Classification of the substance or mixture**



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.
CWPWAB-04366

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Sensitising

R43: May cause sensitisation by skin contact.

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**



Xi Irritant

- **Hazard-determining components of labelling:**

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

(Contd. on page 2)

PH

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

















(Contd. of page 1)

- **Risk phrases:**
43 May cause sensitisation by skin contact.
- **Safety phrases:**
2 Keep out of the reach of children.
24 Avoid contact with skin.
37 Wear suitable gloves.
46 If swallowed, seek medical advice immediately and show this container or label.
56 Dispose of this material and its container to hazardous or special waste collection point.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition / information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7664-41-7	<p>Ammonia</p> <p> T R23</p> <p> C R34</p> <p> N R50</p> <p>R10</p> <hr style="border-top: 1px dashed black;"/> <p> Press. Gas C, H280</p> <p> Acute Tox. 3, H331</p> <p> Skin Corr. 1B, H314</p> <p> Aquatic Acute 1, H400</p> <p> Acute Tox. 4, H302</p> <p>Flam. Gas 2, H221</p>	
CAS: 55965-84-9	<p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</p> <p> T R23/24/25</p> <p> C R34</p> <p> Xi R43</p> <p> N R50/53</p> <hr style="border-top: 1px dashed black;"/> <p> Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330</p> <p> Skin Corr. 1C, H314; Eye Dam. 1, H318</p> <p> Aquatic Acute 1, H400; Aquatic Chronic 1, H410</p> <p> Skin Sens. 1A, H317</p> <p>Specific concentration limits: Skin Corr. 1C; H314: $C \geq 0.6 \%$ Skin Irrit. 2; H315: $0.06 \% \leq C < 0.6 \%$ Eye Dam. 1; H318: $C \geq 0.6 \%$ Eye Irrit. 2; H319: $0.06 \% \leq C < 0.6 \%$ Skin Sens. 1A; H317: $C \geq 0.0015 \%$</p>	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

PH

(Contd. on page 3)

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

PH

(Contd. on page 4)

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

(Contd. of page 3)

8 Exposure controls / personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

 · **Ingredients with limit values that require monitoring at the workplace:**
CAS: 7664-41-7 Ammonia

 PEL (USA) Long-term value: 35 mg/m³, 50 ppm

 REL (USA) Short-term value: 27 mg/m³, 35 ppm

 Long-term value: 18 mg/m³, 25 ppm

TLV (USA) Short-term value: 35 ppm

Long-term value: 25 ppm

- **Additional information:** The lists valid during the making were used as basis.

 · **Exposure controls**

 · **Personal protective equipment:**

 · **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

 · **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

 · **Protection of hands:**


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

 · **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 · **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 · **Eye protection:** Goggles recommended during refilling

9 Physical and chemical properties

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

Form:

Fluid

Colour:

According to product specification

 · **Odour:**

Characteristic

 · **Odour threshold:**

Not determined.

(Contd. on page 5)

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

(Contd. of page 4)

· pH-value:	<i>Not determined.</i>
· Change in condition Melting point/freezing point:	<i>Undetermined.</i>
Initial boiling point and boiling range:	<i>100 °C</i>
· Flash point:	<i>Not applicable.</i>
· Flammability (solid, gas):	<i>Not applicable.</i>
· Decomposition temperature:	<i>Not determined.</i>
· Auto-ignition temperature:	<i>Product is not selfigniting.</i>
· Explosive properties:	<i>Product does not present an explosion hazard.</i>
· Explosion limits: Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>
· Vapour pressure at 20 °C:	<i>23 hPa</i>
· Density at 20 °C:	<i>1.01 g/cm³</i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not determined.</i>
· Evaporation rate	<i>Not determined.</i>
· Solubility in / Miscibility with water:	<i>Fully miscible.</i>
· Partition coefficient: n-octanol/water:	<i>Not determined.</i>
· Viscosity: Dynamic:	<i>Not determined.</i>
Kinematic:	<i>Not determined.</i>
· Solvent content: Water:	<i>58.6 %</i>
VOC (EC)	<i>0.00 %</i>
Solids content:	<i>39.0 %</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

PH

(Contd. on page 6)

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

 · **LD/LC50 values relevant for classification:**
CAS: 7664-41-7 Ammonia

Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)

- **Primary irritant effect:**

- **Skin corrosion/irritation** No irritant effect.

- **Serious eye damage/irritation** No irritating effect.

- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **UN-Number**

- **ADR, IMDG, IATA**

Void

(Contd. on page 7)

Safety Data Sheet

according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

(Contd. of page 6)

· UN proper shipping name · ADR, IMDG, IATA	Void
· Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**

 · **Philippines Inventory of Chemicals and Chemical Substances**

All ingredients are listed.

 · **Directive 2012/18/EU**

 · **Named dangerous substances - ANNEX I** None of the ingredients is listed.

 · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 · **Relevant phrases**

H221	Flammable gas.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R10	Flammable.
R23	Toxic by inhalation.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

 · **Department issuing SDS:** Product safety department

(Contd. on page 8)

Safety Data Sheet according to GHS

Printing date 23.11.2022

Revision: 23.11.2022

Trade name: PRIMA 200AE ACRYLIC EMULSION CLEAR

(Contd. of page 7)

· **Contact:** Mr. Ong· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 2: Flammable gases – Category 2

Press. Gas C: Gases under pressure – Compressed gas

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

PH