



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

1 Identification

- **Product identifier**
- **Trade name:** PRIMA PRIMER 301 WHITE
- **Article number:** CWPWAB-03955
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Company Name : Treasure Island Chemical Corp.
Company Address: Sitio Pilit Cabancalan, 6014 City of Mandaue, Cebu Philippines
Email Address: ddo@treasureisland.com.ph
Contact No.: +63 32 346 49 54-55
- **Further information obtainable from:** Product safety department
- **Emergency telephone number:** During normal opening times: +63 32 232 05 13

2 Hazard identification

- **Classification of the substance or mixture**



GHS07

- Acute Tox. 4 H302 Harmful if swallowed.
 - Skin Sens. 1 H317 May cause an allergic skin reaction.
 - Aquatic Acute 3 H402 Harmful to aquatic life.
 - Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- CWPWAB-03955

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· **Label elements**

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- **Hazard-determining components of labelling:**
2-hydroxyethyl cellulose
- **Risk phrases:**
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Safety phrases:**
18 Handle and open container with care.

(Contd. on page 2)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 1)

24/25 Avoid contact with skin and eyes.
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

- **Special labelling of certain preparations:**
Contains 2-hydroxyethyl cellulose. May produce an allergic reaction.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition / information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	
	Carc. 2, H351 Acute Tox. 5, H333	
CAS: 1332-58-7	Kaolin	
CAS: 471-34-1	Calcium Carbonate	
CAS: 111-46-6	Diethylene Glycol	
	Xn R22 Acute Tox. 4, H302	
CAS: 111-76-2	BUTYL CELLOSOLVE	
	Xn R20/21/22 Xi R36/38 Flam. Liq. 3, H226 Acute Tox. 3, H331 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

(Contd. on page 3)

PH



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 2)

<p>CAS: 9004-62-0</p>	<p>2-hydroxyethyl cellulose</p> <p> T Repr. Cat. 1 R60-61 Xn R20/21/22 Xn R42/43 Xi R36</p> <p> Resp. Sens. 1, H334; Repr. 1A, H360; Asp. Tox. 2, H305 Skin Sens. 1, H317 Acute Tox. 5, H303; Acute Tox. 5, H313; Acute Tox. 5, H333; Serious eye damage/irritation – Category 2B, H320</p>	
<p>CAS: 7664-41-7</p>	<p>Ammonia</p> <p> T R23 C R34 N R50 R10</p> <p> Press. Gas C, H280 Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Acute Tox. 4, H302 Flam. Gas 2, H221</p>	
<p>CAS: 60864-33-7</p>	<p>poly(oxy-1,2-ethanediyl), alpha-(phenylmethyl)-omega-(1,1,3,3-tetramethylbutyl)phenoxy-</p> <p> T R25 C R34 Xn R21/22 Xi R36/37</p> <p> Acute Tox. 2, H300; Acute Tox. 3, H311 Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335</p>	
<p>CAS: 330-54-1</p>	<p>diuron(ISO)</p> <p> Xn R22-40-48/22 N R50/53 Carc. Cat. 3</p> <p> Carc. 1B, H350; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410</p>	

(Contd. on page 4)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 3)

CAS: 10605-21-7	<p>carbendazim (ISO)</p> <p> T Muta. Cat. 2, Repr. Cat. 2 R46-60-61</p> <p> N R50/53</p> <p> Muta. 1B, H340; Repr. 1B, H360</p> <p> Aquatic Acute 1, H400; Aquatic Chronic 1, H410</p> <p> Skin Sens. 1, H317</p>	
CAS: 26530-20-1	<p>2-octyl-2H-isothiazol-3-one</p> <p> T R23/24</p> <p> C R34</p> <p> Xn R22</p> <p> Xi R43</p> <p> N R50/53</p> <p> Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330</p> <p> Skin Corr. 1A, H314; Eye Dam. 1, H318</p> <p> Aquatic Acute 1, H400; Aquatic Chronic 1, H410</p> <p> Skin Sens. 1A, H317</p> <p>Specific concentration limit: Skin Sens. 1A; H317: $C \geq 0.0015 \%$</p>	
CAS: 55965-84-9	<p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</p> <p> T R23/24/25</p> <p> C R34</p> <p> Xi R43</p> <p> N R50/53</p> <p> Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330</p> <p> Skin Corr. 1C, H314; Eye Dam. 1, H318</p> <p> Aquatic Acute 1, H400; Aquatic Chronic 1, H410</p> <p> Skin Sens. 1A, H317</p> <p>Specific concentration limits: Skin Corr. 1C; H314: $C \geq 0.6 \%$ Skin Irrit. 2; H315: $0.06 \% \leq C < 0.6 \%$ Eye Dam. 1; H318: $C \geq 0.6 \%$ Eye Irrit. 2; H319: $0.06 \% \leq C < 0.6 \%$ Skin Sens. 1A; H317: $C \geq 0.0015 \%$</p>	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

PH

(Contd. on page 5)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 4)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls / personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 1332-58-7 Kaolin

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
-----------	---

(Contd. on page 6)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 5)

REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 2* mg/m ³ E; respirable particulate matter, A4

CAS: 471-34-1 Calcium Carbonate

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn

CAS: 111-46-6 Diethylene Glycol

WEEL (USA)	Long-term value: 10 mg/m ³
------------	---------------------------------------

CAS: 111-76-2 BUTYL CELLOSOLVE

PEL (USA)	Long-term value: 240 mg/m ³ , 50 ppm Skin
REL (USA)	Long-term value: 24 mg/m ³ , 5 ppm Skin
TLV (USA)	Long-term value: 97 mg/m ³ , 20 ppm BEI, A3

CAS: 7664-41-7 Ammonia

PEL (USA)	Long-term value: 35 mg/m ³ , 50 ppm
REL (USA)	Short-term value: 27 mg/m ³ , 35 ppm Long-term value: 18 mg/m ³ , 25 ppm
TLV (USA)	Short-term value: 24 mg/m ³ , 35 ppm Long-term value: 17 mg/m ³ , 25 ppm

CAS: 330-54-1 diuron(ISO)

REL (USA)	Long-term value: 10 mg/m ³
TLV (USA)	Long-term value: 10 mg/m ³ A4

· Ingredients with biological limit values:

CAS: 111-76-2 BUTYL CELLOSOLVE

BEI (USA)	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)
-----------	--

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

(Contd. on page 7)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 6)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: Not determined.

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C

Flash point: Not applicable.

Flammability: Not applicable.

Decomposition temperature: Not determined.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapour pressure at 20 °C: 23 hPa

Density at 20 °C:	1.43 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.

(Contd. on page 8)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: **PRIMA PRIMER 301 WHITE**

(Contd. of page 7)

· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	2.5 %
Water:	43.6 %
VOC (EC)	11.11 %
Solids content:	54.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· LD/LC50 values relevant for classification:		
CAS: 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]		
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)
CAS: 471-34-1 Calcium Carbonate		
Oral	LD50	6,450 mg/kg (rat)
CAS: 111-46-6 Diethylene Glycol		
Oral	LD50	12,565 mg/kg (rat)
Dermal	LD50	11,890 mg/kg (rabbit)
CAS: 111-76-2 BUTYL CELLOSOLVE		
Oral	LD50	1,200 mg/kg (ATE)

(Contd. on page 9)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 8)

Dermal	LD50	1,480 mg/kg (rat)
Inhalative	LC50/4 h	400 mg/kg (rab)
		3 mg/l (ATE)
CAS: 7664-41-7 Ammonia		
Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)
Dermal	LD50	311 mg/kg (ATE)
Inhalative	LC50/4 h	0.27 mg/l (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 9)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Philippines Inventory of Chemicals and Chemical Substances	
CAS: 7732-18-5	water, distilled, conductivity or of similar purity
CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]
CAS: 14807-96-6	Hydrated Magnesium Silicate
CAS: 1332-58-7	Kaolin
CAS: 57516-68-4	STYRENE ACRYLATE COPOLYMER
CAS: 471-34-1	Calcium Carbonate
CAS: 111-46-6	Diethylene Glycol
CAS: 111-76-2	BUTYL CELLOSOLVE
CAS: 112926-00-8	Precipitated silica (Silica-Amorphous)
CAS: 21645-51-2	aluminium hydroxide
CAS: 9004-62-0	2-hydroxyethyl cellulose
CAS: 8042-47-5	White mineral oil, petroleum
CAS: 7664-41-7	Ammonia
CAS: 60864-33-7	poly(oxy-1,2-ethanediyl), alpha-(phenylmethyl)-omega-(1,1,3,3-tetramethylbutyl)phenoxy-
CAS: 330-54-1	diuron(ISO)
CAS: 10605-21-7	carbendazim (ISO)

(Contd. on page 11)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 10)

CAS: 9036-19-5	Polyethylene glycol octylphenyl ether
CAS: 3586-55-8	(Ethylendioxy)dimethanol
CAS: 64-19-7	acetic acid
CAS: 1336-21-6	ammonia
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one
	Polyethylene Glycol
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H221 Flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H303 May be harmful if swallowed.
- H305 May be harmful if swallowed and enters airways.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H313 May be harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H333 May be harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

(Contd. on page 12)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 11)

- H410 *Very toxic to aquatic life with long lasting effects.*
- R10 *Flammable.*
- R20/21/22 *Harmful by inhalation, in contact with skin and if swallowed.*
- R21/22 *Harmful in contact with skin and if swallowed.*
- R22 *Harmful if swallowed.*
- R23 *Toxic by inhalation.*
- R23/24 *Toxic by inhalation and in contact with skin.*
- R23/24/25 *Toxic by inhalation, in contact with skin and if swallowed.*
- R25 *Toxic if swallowed.*
- R34 *Causes burns.*
- R36 *Irritating to eyes.*
- R36/37 *Irritating to eyes and respiratory system.*
- R36/38 *Irritating to eyes and skin.*
- R40 *Limited evidence of a carcinogenic effect.*
- R42/43 *May cause sensitisation by inhalation and skin contact.*
- R43 *May cause sensitisation by skin contact.*
- R46 *May cause heritable genetic damage.*
- R48/22 *Harmful: danger of serious damage to health by prolonged exposure if swallowed.*
- R50 *Very toxic to aquatic organisms.*
- R50/53 *Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*
- R60 *May impair fertility.*
- R61 *May cause harm to the unborn child.*

· **Department issuing SDS:** Product safety department

· **Contact:** Mr. Ong

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 2: Flammable gases – Category 2

Press. Gas C: Gases under pressure – Compressed gas

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 5: Acute toxicity – Category 5

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Serious eye damage/irritation – Category 2B: Serious eye damage/eye irritation – Category 2B

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Muta. 1B: Germ cell mutagenicity – Category 1B

(Contd. on page 13)



Safety Data Sheet
according to GHS

Printing date 19.02.2026

Revision: 19.02.2026

Trade name: PRIMA PRIMER 301 WHITE

(Contd. of page 12)

Carc. 1B: Carcinogenicity – Category 1B
Carc. 2: Carcinogenicity – Category 2
Repr. 1A: Reproductive toxicity – Category 1A
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 2: Aspiration hazard – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
*** Data compared to the previous version altered.**

PH