



ISLAND EN GLOSS 800GE WHITE

DESCRIPTION:

ISLAND EN GLOSS 800GE WHITE is a premium quality, high-coverage alkyd-based enamel designed to provide a bright white finish w/ good weathering property.

USE:

As a general-purpose finishing coat on wood and metal surfaces, normally used as white when extra brightness is desired.

COLOR/APPEARANCE:


White

Maybe tinted to pastel shades by using Island Oil Tinting Color (IOTC)

FINISH:

Gloss

APPLICATION:



REDUCTION:

Island 006 Paint Thinner

Brush & Roller: use as is or about 5% reduction

Spray: approximately 10% reduction

SURFACE PREPARATION:

For New Wood Substrate:

Sand the substrate using sandpaper grit #120 to get rid of any imperfections. Surface must be dried and cleaned, free from dirt, dust and other contaminants that may inhibit bonding.

For Old Wood Substrate:

Scrape all loosely existing paint using scraper or mechanical sander. Sand with sandpaper grit #120 to roughen the surface for better adhesion. Surface must be dried and cleaned. Free from dirt, dust, and other contaminants that may be inhibit bonding. Oil, grease and other chemical contaminants must be removed by solvent wiping preferably using Mayon Lacquer Thinner.

For New Metal Substrate

Light sanding using sandpaper grit #100 or 120. Surface must be wiped with Mayon Lacquer Thinner for solvent wiping to eliminate other contaminants.

For Old Metal Substrate

Old paint must be sanded off. Rusted portions must be sanded using sandpaper grit #100/120 or steel brushed. Surface must be dried, free of dirt, dust, rust, & other contaminants prior to application.

The information in this data sheet is based on our current knowledge and experience. In view of the many factors that may affect processing and application, these data do not relieve users from the responsibility of carrying out their own tests; neither do they imply any legally binding assurance of certain properties or suitability for a specific purpose. It is the responsibility of those to whom we supply our products to ensure that any proprietary rights and existing laws and legislation are observed.

Rev. 0



ISO 9001 CERTIFIED

Treasure Island
CHEMICAL CORPORATION

PRIMA



EPOX SEAL

SUPER KINIS
SKIN COAT WHITE



EQUIP
TILE ADHESIVE

HEAD OFFICE

CEBU
No. 2 3rd Avenue,
S. Osmeña Boulevard,
North Reclamation Area,
Cebu City, Philippines

Tel: (032) 232-0513 to 17
Fax: (032) 232-0518

LUZON

CAVITE
1530 ME,
Barangay Toclong
Kawit, Cavite

Tel: (046) 434-2229

VISAYAS

CEBU SHOWROOM
A.S Fortuna Street,
Mandaue City

Tel: (032) 345-2139
Fax: (032) 345-2130

MINDANAO

DAVAO
No.8 NR
El Rio St. Subdivision
Bacaca Road, Davao City

Tel: (082) 224-3409
Fax: (082) 222-8476

EMAIL

sales@islandpaints.com

WEBSITE

www.islandpaints.com



RECOMMENDED PRIMER:

- Wood:** Island Wood Primer and Sealer 801 White
Metal: Island Metal Primer 700 Red Oxide
Island Metal Primer 730 Red
Island Metal Primer 7411 Zinc Yellow
Epoxy Primer 100 White
Epoxy Primer 160 Gray
Epoxy Primer 130 Red Oxide

APPLICATION GUIDELINES:

For Wood Substrate

Apply Island Wood Primer and Sealer 801 White and allow it to dry overnight. Apply Island Glazing Putty 803 White using a putty knife to cover joints and nail heads, then allow it to dry for four (4) hours before applying Island Wood Primer and Sealer to the areas covered with putty. Let it dry overnight, then apply two (2) coats of ISLAND EN GLOSS 800GE WHITE paint by roller, brush, or spray. Allow 24 hours before recoating.

For Metal Substrate

Prime the surface with Island Metal Primer 700 Red Oxide, 730 Red, 7411 Zinc Yellow, or Island Epoxy Primers for old and rusted metal substrates. Allow the primer to dry overnight. Apply ISLAND EN GLOSS 800GE WHITE paint to the properly primed surface by roller, brush, or spray. If a second coat is necessary, allow 24 hours to dry before recoating.

DRYING TIME:

Dry hard: 9 – 15 hours

THEORETICAL COVERAGE:

Approximately 28 – 30 sq. m. per gallon depending on surface profile

PACKAGING:

4L lithographed round cans

SHELF LIFE:

2 years in unopened container

NOTE: High humidity might reduce the shelf-life of product.

STORAGE & DISPOSAL:

Keep container tightly sealed. Do not store above 35 °C. Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be according to government regulations.

The information in this data sheet is based on our current knowledge and experience. In view of the many factors that may affect processing and application, these data do not relieve users from the responsibility of carrying out their own tests; neither do they imply any legally binding assurance of certain properties or suitability for a specific purpose. It is the responsibility of those to whom we supply our products to ensure that any proprietary rights and existing laws and legislation are observed.

Rev. 0



ISO 9001 CERTIFIED

Treasure Island
CHEMICAL CORPORATION

PRIMA



EPOXSEAL

SUPER KINIS
SKIN COAT WHITE



EQUIP
TILE ADHESIVE

HEAD OFFICE

CEBU
No. 2 3rd Avenue,
S. Osmeña Boulevard,
North Reclamation Area,
Cebu City, Philippines

Tel: (032) 232-0513 to 17
Fax: (032) 232-0518

LUZON

CAVITE
1530 ME,
Barangay Toclong
Kawit, Cavite

Tel: (046) 434-2229

VISAYAS

CEBU SHOWROOM
A.S Fortuna Street,
Mandaue City

Tel: (032) 345-2139
Fax: (032) 345-2130

MINDANAO

DAVAO
No.8 NR
El Rio St. Subdivision
Bacaca Road, Davao City

Tel: (082) 224-3409
Fax: (082) 222-8476

EMAIL

sales@islandpaints.com

WEBSITE

www.islandpaints.com



LABEL ELEMENTS:



Danger: Flammable liquid and vapour. May cause genetic defects. May cause cancer. May be fatal if swallowed and enters airways. Toxic to aquatic life with long-lasting effects. Causes skin irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May be harmful if inhaled.

Contains: Kerosene, Naphtha (petroleum), hydrodesulfurized heavy

Precaution: Avoid exposure – obtain special instructions before use. Keep locked up and out of the reach of children. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

The information in this data sheet is based on our current knowledge and experience. In view of the many factors that may affect processing and application, these data do not relieve users from the responsibility of carrying out their own tests; neither do they imply any legally binding assurance of certain properties or suitability for a specific purpose. It is the responsibility of those to whom we supply our products to ensure that any proprietary rights and existing laws and legislation are observed.

Rev. 0



ISO 9001 CERTIFIED

Treasure Island
CHEMICAL CORPORATION

PRIMA



EPOX SEAL

SUPER KINIS
SKIN COAT WHITE



EQUIP
TILE ADHESIVE

HEAD OFFICE

CEBU
No. 2 3rd Avenue,
S. Osmeña Boulevard,
North Reclamation Area,
Cebu City, Philippines

Tel: (032) 232-0513 to 17
Fax: (032) 232-0518

LUZON

CAVITE
1530 ME,
Barangay Toclong
Kawit, Cavite

Tel: (046) 434-2229

VISAYAS

CEBU SHOWROOM
A.S Fortuna Street,
Mandaue City

Tel: (032) 345-2139
Fax: (032) 345-2130

MINDANAO

DAVAO
No.8 NR
El Rio St. Subdivision
Bacaca Road, Davao City

Tel: (082) 224-3409
Fax: (082) 222-8476

EMAIL

sales@islandpaints.com

WEBSITE

www.islandpaints.com