

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

### 1 Identification

- **Product identifier**
- **Trade name:** ***TEX-A-KOTE FLAT 2800FL WHITE***
- **Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Treasure Island Industrial Corp.  
No.2, 3rd Ave. S. Osmena Blvd.  
North Reclamation Area  
Cebu City 6000  
PHILIPPINES  
doo@treasureisland.com.ph*
- **Further information obtainable from:** *Product safety department*
- **Emergency telephone number:** *During normal opening times: +63 32 232 05 13*

### 2 Hazard identification

- **Classification of the substance or mixture**



Flam. Liq. 3      H226 Flammable liquid and vapour.



Carc. 1B      H350 May cause cancer. Route of exposure: Inhalation.

Repr. 1B      H360 May damage fertility or the unborn child.




Acute Tox. 4      H332 Harmful if inhaled.


Skin Irrit. 2      H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.  
I-2611


- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



R60-61: May impair fertility. May cause harm to the unborn child.



R20/21: Harmful by inhalation and in contact with skin.



R38: Irritating to skin.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 2)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

Trade name: **TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 1)

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· **Label elements**

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**



T Toxic

· **Hazard-determining components of labelling:**

Dimethylbenzene  
di-(2-ethylhexyl) phthalate

· **Risk phrases:**

- 60 May impair fertility.
- 61 May cause harm to the unborn child.
- 20/21 Also harmful by inhalation and in contact with skin.
- 38 Irritating to skin.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

- 53 Avoid exposure - obtain special instructions before use.
- 1/2 Keep locked up and out of the reach of children.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition / information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

PH

## Safety Data Sheet

according to GHS




























Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 2)

**· Dangerous components:**

CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]  <i>Carc. 2, H351</i>  <i>Acute Tox. 5, H333</i>	
CAS: 1330-20-7	Dimethylbenzene  <i>Xn R20/21</i>  <i>Xi R38</i> <i>R10</i>  <i>Flam. Liq. 3, H226</i>  <i>Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315</i>  <i>Acute Tox. 5, H303</i>	
CAS: 471-34-1	Calcium Carbonate	
CAS: 95-63-6	1,2,4-trimethylbenzene  <i>Xn R20</i>  <i>Xi R36/37/38</i>  <i>N R51/53</i> <i>R10</i>  <i>Flam. Liq. 3, H226</i>  <i>Aquatic Chronic 2, H411</i>  <i>Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335</i> <i>Acute Tox. 5, H303</i>	
CAS: 1332-58-7	Kaolin	
CAS: 108-67-8	1,3,5-trimethylbenzene  <i>Xi R37</i>  <i>N R51/53</i> <i>R10</i>  <i>Flam. Liq. 3, H226</i>  <i>Aquatic Chronic 2, H411</i>  <i>STOT SE 3, H335</i> <i>Specific concentration limit: STOT SE 3; H335: C <math>\geq</math> 25 %</i>	
CAS: 117-81-7	di-(2-ethylhexyl) phthalate  <i>T Repr. Cat. 2 R60-61</i>  <i>Repr. 1B, H360</i>	
CAS: 98-82-8	isopropylbenzene  <i>Xn R65</i>  <i>Xi R37</i>  <i>N R51/53</i> <i>R10</i>  <i>Flam. Liq. 3, H226</i>  <i>Asp. Tox. 1, H304</i>  <i>Aquatic Chronic 2, H411</i>  <i>Acute Tox. 4, H302; STOT SE 3, H335</i> <i>Acute Tox. 5, H333</i>	
CAS: 112926-00-8	Precipitated silica (Silica-Amorphous)	

**· SVHC**

CAS: 117-81-7 | di-(2-ethylhexyl) phthalate

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.

PH

(Contd. on page 4)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

Trade name: **TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 3)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
*Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*
- **After inhalation:**  
*Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.*  
*In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*
- **After eye contact:** *Rinse opened eye for several minutes under running water.*
- **After swallowing:** *If symptoms persist consult doctor.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *Mouth respiratory protective device.*

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:**  
*Do not allow product to reach sewage system or any water course.*  
*Inform respective authorities in case of seepage into water course or sewage system.*  
*Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Dispose contaminated material as waste according to item 13.*  
*Ensure adequate ventilation.*
- **Reference to other sections**  
*See Section 7 for information on safe handling.*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for disposal information.*

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
*Ensure good ventilation/exhaustion at the workplace.*  
*Open and handle receptacle with care.*  
*Prevent formation of aerosols.*
- **Information about fire - and explosion protection:** *Keep respiratory protective device available.*

(Contd. on page 5)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 4)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls / personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

 · **Ingredients with limit values that require monitoring at the workplace:**
**CAS: 1330-20-7 Dimethylbenzene**

PEL (USA)	Long-term value: 435 mg/m <sup>3</sup> , 100 ppm
REL (USA)	Short-term value: 655 mg/m <sup>3</sup> , 150 ppm Long-term value: 435 mg/m <sup>3</sup> , 100 ppm
TLV (USA)	Short-term value: (150) ppm Long-term value: (100) NIC-20 ppm BEI, A4

**CAS: 471-34-1 Calcium Carbonate**

PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	TLV withdrawn

**CAS: 95-63-6 1,2,4-trimethylbenzene**

REL (USA)	Long-term value: 125 mg/m <sup>3</sup> , 25 ppm
TLV (USA)	Long-term value: (25) NIC-10 ppm NIC-A4

**CAS: 1332-58-7 Kaolin**

PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	Long-term value: 2* mg/m <sup>3</sup> E; as respirable fraction, A4

**CAS: 108-67-8 1,3,5-trimethylbenzene**

REL (USA)	Long-term value: 125 mg/m <sup>3</sup> , 25 ppm
TLV (USA)	Long-term value: (25) NIC-10 ppm

**CAS: 117-81-7 di-(2-ethylhexyl) phthalate**

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup>
REL (USA)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> See Pocket Guide App. A
TLV (USA)	Long-term value: (5) mg/m <sup>3</sup> , NIC-0.03 ppm NIC-Skin, A3

(Contd. on page 6)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 5)

**CAS: 98-82-8 isopropylbenzene**

PEL (USA)	Long-term value: 245 mg/m <sup>3</sup> , 50 ppm Skin
REL (USA)	Long-term value: 245 mg/m <sup>3</sup> , 50 ppm Skin
TLV (USA)	Long-term value: 5 ppm A3

**CAS: 112926-00-8 Precipitated silica (Silica-Amorphous)**

PEL (USA)	20mppcf or 80mg/m <sup>3</sup> /%SiO <sub>2</sub>
REL (USA)	Long-term value: 6 mg/m <sup>3</sup> See Pocket Guide App. C
TLV (USA)	TLV withdrawn

**· Ingredients with biological limit values:**
**CAS: 1330-20-7 Dimethylbenzene**

BEI (USA)	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids
-----------	--

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 6)

 · **Eye protection:** Goggles recommended during refilling

### 9 Physical and chemical properties

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

<b>pH-value:</b>	Not determined.
------------------	-----------------

 · **Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	137-143 °C

<b>Flash point:</b>	Not applicable.
---------------------	-----------------

<b>Flammability (solid, gas):</b>	Not applicable.
-----------------------------------	-----------------

<b>Ignition temperature:</b>	500 °C
------------------------------	--------

<b>Decomposition temperature:</b>	Not determined.
-----------------------------------	-----------------

<b>Auto-ignition temperature:</b>	Product is not selfigniting.
-----------------------------------	------------------------------

<b>Explosive properties:</b>	Not determined.
------------------------------	-----------------

 · **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

<b>Vapour pressure:</b>	Not determined.
-------------------------	-----------------

<b>Density at 20 °C:</b>	1.48 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

 · **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

<b>Partition coefficient: n-octanol/water:</b>	Not determined.
--	-----------------

 · **Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.

 · **Solvent content:**

<b>Organic solvents:</b>	24.4 %
<b>VOC (EC)</b>	24.42 %

<b>Solids content:</b>	69.0 %
------------------------	--------

 · **Other information**

No further relevant information available.

PH

(Contd. on page 8)



## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 7)

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

**CAS: 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

**CAS: 1330-20-7 Dimethylbenzene**

Oral	LD50	4,300 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)

**CAS: 471-34-1 Calcium Carbonate**

Oral	LD50	6,450 mg/kg (rat)
------	------	-------------------

**CAS: 95-63-6 1,2,4-trimethylbenzene**

Oral	LD50	5,000 mg/kg (rat)
------	------	-------------------

**CAS: 117-81-7 di-(2-ethylhexyl) phthalate**

Oral	LD50	30,600 mg/kg (rat)
Dermal	LD50	25,000 mg/kg (rabbit)

**CAS: 98-82-8 isopropylbenzene**

Oral	LD50	1,400 mg/kg (rat)
Dermal	LD50	12,300 mg/kg (rabbit)
Inhalative	LC50/4 h	24.7 mg/l (mouse)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful  
Irritant

PH

(Contd. on page 9)



## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 8)


### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                                | UN1263  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | 1263 PAINT<br>PAINT   |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>               |  |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | 3 Flammable liquids.<br>3   |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>                            | I   |

(Contd. on page 10)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 9)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Flammable liquids.
· <b>Hazard identification number (Kemler code):</b>	30
· <b>EMS Number:</b>	F-E, <u>S-E</u>
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	500 ml
· <b>Excepted quantities (EQ)</b>	Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml
· <b>Transport category</b>	1
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	500 ml
· <b>Excepted quantities (EQ)</b>	Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml
· <b>UN "Model Regulation":</b>	UN 1263 PAINT, 3, I

### 15 Regulatory information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**

 · **Philippines Inventory of Chemicals and Chemical Substances**

CAS: 13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]
CAS: 1330-20-7	Dimethylbenzene
CAS: 471-34-1	Calcium Carbonate
CAS: 14807-96-6	Hydrated Magnesium Silicate
CAS: 95-63-6	1,2,4-trimethylbenzene
CAS: 1332-58-7	Kaolin
CAS: 108-67-8	1,3,5-trimethylbenzene
CAS: 117-81-7	di-(2-ethylhexyl) phthalate
CAS: 98-82-8	isopropylbenzene
CAS: 112926-00-8	Precipitated silica (Silica-Amorphous)
CAS: 21645-51-2	aluminium hydroxide
CAS: 1318-93-0	Montmorillonite
CAS: 14808-60-7	Silicon Dioxide

 · **Directive 2012/18/EU**

 · **Named dangerous substances - ANNEX I** None of the ingredients is listed.

 · **Seveso category P5c** FLAMMABLE LIQUIDS

 · **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

 · **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

(Contd. on page 11)

## Safety Data Sheet according to GHS

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 10)

- **National regulations:**
  - **Other regulations, limitations and prohibitive regulations**
  - **Substances of very high concern (SVHC) according to REACH, Article 57**
- |               |                             |
|---------------|-----------------------------|
| CAS: 117-81-7 | di-(2-ethylhexyl) phthalate |
|---------------|-----------------------------|
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H226 Flammable liquid and vapour.
  - H302 Harmful if swallowed.
  - H303 May be harmful if swallowed.
  - H304 May be fatal if swallowed and enters airways.
  - H312 Harmful in contact with skin.
  - H315 Causes skin irritation.
  - H319 Causes serious eye irritation.
  - H332 Harmful if inhaled.
  - H333 May be harmful if inhaled.
  - H335 May cause respiratory irritation.
  - H351 Suspected of causing cancer.
  - H360 May damage fertility or the unborn child.
  - H411 Toxic to aquatic life with long lasting effects.
- 
- R10 Flammable.
  - R20 Harmful by inhalation.
  - R20/21 Harmful by inhalation and in contact with skin.
  - R36/37/38 Irritating to eyes, respiratory system and skin.
  - R37 Irritating to respiratory system.
  - R38 Irritating to skin.
  - R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
  - R60 May impair fertility.
  - R61 May cause harm to the unborn child.
  - R65 Harmful: may cause lung damage if swallowed.

- **Department issuing SDS:** Product safety department

- **Contact:** Mr. Ong

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organisation  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 12)

**Safety Data Sheet**  
**according to GHS**

Printing date 10.12.2022

Revision: 22.08.2022

**Trade name: TEX-A-KOTE FLAT 2800FL WHITE**

(Contd. of page 11)

*Flam. Liq. 3: Flammable liquids – Category 3*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Acute Tox. 5: Acute toxicity – Category 5*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
*Carc. 1B: Carcinogenicity – Category 1B*  
*Carc. 2: Carcinogenicity – Category 2*  
*Repr. 1B: Reproductive toxicity – Category 1B*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*  
*Asp. Tox. 1: Aspiration hazard – Category 1*  
*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*  
*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*  
· **\* Data compared to the previous version altered.**

PH